



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/591,198	08/30/2006	Dieter Groezinger	VMP-40009	7398
7590 PYLE & PIONTEK 221 N. LASALLE - ROOM 2036 CHICAGO, IL 60601			EXAMINER LIN, KUANG Y	
		ART UNIT 1725	PAPER NUMBER	
		MAIL DATE 07/12/2007	DELIVERY MODE PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No.	Applicant(s)	
	10/591,198	GROEZINGER, DIETER	
	Examiner	Art Unit	
	Kuang Y. Lin	1725	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) Responsive to communication(s) filed on 30 August 2006.
- 2a) This action is FINAL. 2b) This action is non-final.
- 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) Claim(s) 1-7 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) Claim(s) _____ is/are allowed.
- 6) Claim(s) 1-7 is/are rejected.
- 7) Claim(s) _____ is/are objected to.
- 8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) The specification is objected to by the Examiner.
- 10) The drawing(s) filed on _____ is/are: a) accepted or b) objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All b) Some * c) None of:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date: _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date: _____ | 6) <input type="checkbox"/> Other: _____ |

Art Unit: 1725

1. Applicant is requested to provide in the specification headings, such as 'background of the invention', 'summary of the invention', 'detailed description of the invention', etc. to render the specification in a better format.
2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

3. Claims 1-7 are rejected under 35 U.S.C. 103(a) as being unpatentable over SU 1,196,096.

SU '096 substantially shows the invention as claimed except that it does not disclose to make the compact pressure. However, it is conventional to use a compact molding machine or pressure blowing machine for pressuring the foundry mixture during core making process. Thus, it would have been obvious to use a compact molding machine or pressure blowing machine for forming core of SU '096 in view of the conventional practice. With respect to claim 2, it is conventional to add borate into phosphate binder for making foundry core (see, for example, US 5,573,055 to Melling et al.) With respect to claim 3, it is also conventional to add parting agent into the foundry mixture to facilitate core removal process. With respect to claims 4 and 5, it is conventional to make the phosphate binder from aluminum phosphate, boron phosphate, etc. (see, for example, DE 10,065,075 or US 5,262,100 to Moore et al. (col. 7, line 32)).

Art Unit: 1725

4. Claims 1-7 are rejected under 35 U.S.C. 103(a) as being unpatentable over US 3,764,575 to Anderko et al. and further in view of US 5,573,055 to Melling et al.

Anderko substantially shows the invention as claimed except that it uses resin, instead of phosphate, as a binder. However, Melling shows to use phosphate and/or borate as a binder to avoid the use of any organic materials which would volatize or burn out when the mold is heated at high temperatures (see, for example, col. 4, lines 4-7). It would have been obvious to use the phosphate and borate binder of Melling in the water soluble salt core of Anderko in view of the advantage. With respect to claim 3, it is also conventional to add parting agent into the foundry mixture to facilitate core removal process. With respect to claims 4 and 5, it is conventional to make the phosphate binder from aluminum phosphate, boron phosphate, etc. (see, for example, DE 10,065,075 or US 5,262,100 to Moore et al. (col. 7, line 32)).

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kuang Y. Lin whose telephone number is 571-272-1179. The examiner can normally be reached on Monday-Friday, 10:00-6:30.,

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jonathan J. Johnson can be reached on 571-272-1177. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1725

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



Kuang Y. Lin
Primary Examiner
Art Unit 1725

7-6-07